

Hot Dipped Galvanized Pipes Construction Galvanised Scaffold Tube

Our Product Introduction

for more products please visit us on bythaiscaffold.com

Basic Information

- Place of Origin: China
- Brand Name: Bythai Scaffolding
- Certification: SGS
- Model Number: BT01
- Price: \$5-\$18
- Packaging Details: In bundles
- Delivery Time: 7-15 days
- Payment Terms: TT/LC
- Supply Ability: 1000tons per month



Product Specification

- Diameter: 48.3mm
- Application: Scaffolding
- Material: Galvanised Steel
- Thickness: 3.2mm
- Name: Galvanised Scaffold Tube
- Weight: 6.4kg/m
- Standard: EN39
- Yield Strength: 245N/mm2
- Highlight: **Hot Dipped Galvanized Pipes,
Construction Hot Dipped Galvanized Pipes,
Construction Galvanised Scaffold Tube**



Galvanised Scaffold Tube Hot Dipped Galvanzied Pipes Construction

Product Description:

Galvanised Scaffold Tube

The Galvanised Scaffold Tube is a high-quality and versatile product that is essential for any construction project. Made from galvanised steel with a diameter of 48.3mm and a weight of 6.4kg/m, this scaffold tube is designed to provide durability, strength, and corrosion resistance.

Key Features

Scaffold tube caps: The Galvanised Scaffold Tube comes with specially designed caps that provide added protection and safety.

Hot dip galvanized scaffolding steel tube stamped: This process ensures that the tube has a uniform and durable zinc coating, making it more resistant to rust and corrosion.

Scaffolding steel tube: This tube is specifically designed for scaffolding applications, making it the perfect choice for construction projects.

Galvanized steel: The use of galvanized steel in the construction of this tube makes it stronger and more durable, ensuring its longevity.

Benefits

Durable: The Galvanised Scaffold Tube is built to last, providing a strong and reliable support system for your construction projects.

Rust-proof: The galvanized coating on this tube makes it resistant to rust and corrosion, making it suitable for use in all weather conditions.

High strength: With a weight of 6.4kg/m, this scaffold tube has a high strength-to-weight ratio, making it capable of supporting heavy loads.

Easy to assemble: The Galvanised Scaffold Tube can be easily assembled and disassembled, making it convenient for use on different construction sites.

Cost-effective: This product is a cost-effective solution for scaffolding, as it is durable and requires minimal maintenance.

Versatile: The Galvanised Scaffold Tube is suitable for a wide range of construction projects, including residential, commercial, and industrial buildings.

Standard

The Galvanised Scaffold Tube meets the EN39 standard, ensuring its quality and safety for use in construction.

Applications

Scaffolding: This tube is ideal for use in scaffolding systems, providing a safe and stable platform for workers to carry out their tasks.

Construction: The Galvanised Scaffold Tube is essential for any construction project, providing support for structures and workers.

Renovation: This tube can also be used for renovation projects, providing a sturdy and reliable support for workers and materials.

Conclusion

The Galvanised Scaffold Tube is a must-have for any construction project, offering durability, strength, and versatility at a cost-effective price. With its hot dip galvanized coating, this tube is built to withstand the elements and provide a safe and stable support system for workers. Whether you are working on a residential, commercial, or industrial project, the Galvanised Scaffold Tube is the perfect choice for all your scaffolding needs.

Features:

Product Name: Galvanised Scaffold Tube

Material: Galvanised Steel

Application: Scaffolding

Surface Treatment: Galvanised

Standard: EN39

Yield Strength: 245N/mm2

Key Features:

High quality HDG pipes for superior durability

Designed specifically for use in scaffolding

Galvanised surface treatment for corrosion resistance

Compliant with EN36/BS1139 steel pipe standards

Yield strength of 245N/mm2 for optimal load-bearing capacity

Technical Parameters:

Properties	Value
Diameter	48.3mm
Thickness	3.2mm
Material	Galvanised Steel
Tensile Strength	420N/mm2

Yield Strength	245N/mm2
Standard	EN39
Surface Treatment	Galvanised
Application	Scaffolding
Name	Galvanised Scaffold Tube
Weight	6.4kg/m
Additional Features	hot dipped galvanzied pipes, hot dip galvanized scaffolding steel tube stamped, EN36/BS1139 steel pipe

Applications:

Galvanised Scaffold Tube - Bythai Scaffolding

Product Overview

Galvanised Scaffold Tube, also known as GI pipe or scaffolding steel tube, is a type of scaffolding material made from galvanised steel. It is widely used in construction projects and provides a safe and sturdy platform for workers to carry out their tasks at various heights.

Brand Name: Bythai Scaffolding

Our Galvanised Scaffold Tube is manufactured by Bythai Scaffolding, a reputable and reliable brand in the scaffolding industry. With years of experience and expertise, we are committed to providing high-quality products that meet international standards.

Model Number: BT01

The model number of our Galvanised Scaffold Tube is BT01, which represents the first model in our range of scaffolding tubes. This model is designed to meet the needs of most construction projects and provides a cost-effective solution for scaffolding needs.

Place of Origin: China

Our Galvanised Scaffold Tube is produced in China, one of the leading manufacturers of scaffolding materials in the world. With advanced technology and strict quality control, we ensure that our products are of the highest quality and meet all safety standards.

Certification: SGS

Our Galvanised Scaffold Tube is certified by SGS, a globally recognized certification body for quality and safety. This certification guarantees that our product has undergone rigorous testing and meets all necessary requirements for use in construction projects.

Price: \$5-\$18

The price of our Galvanised Scaffold Tube ranges from \$5 to \$18, depending on the quantity and specifications. We offer competitive prices without compromising on the quality of our product, making it an affordable and cost-effective option for scaffolding needs.

Packaging Details: In bundles

All our Galvanised Scaffold Tubes are packed in bundles, making it easier for transportation and storage. The bundles are securely wrapped to protect the tubes from any damage during transit.

Delivery Time: 7-15 days

We understand the importance of timely delivery in construction projects, and hence we ensure that our Galvanised Scaffold Tubes are delivered within 7-15 days of placing the order. This quick turnaround time helps in keeping the project on track and meeting deadlines.

Payment Terms: TT/LC

We offer flexible payment terms, including TT (Telegraphic Transfer) and LC (Letter of Credit), to make it convenient for our customers to make payments for their orders.

Supply Ability: 1000tons per month

With a strong production capacity, we can supply up to 1000 tons of Galvanised Scaffold Tubes per month. This ensures that we can meet the demands of our customers, even for large-scale projects.

Standard: EN39

Our Galvanised Scaffold Tube conforms to the EN39 standard, which is the European standard for steel scaffolding tubes. This standard ensures that our product meets the required safety and quality standards for use in construction projects.

Yield Strength: 245N/mm2

The yield strength of our Galvanised Scaffold Tube is 245N/mm2, making it strong and durable enough to withstand heavy loads and provide a stable platform for workers.

Material: Galvanised Steel

Our Galvanised Scaffold Tube is made from galvanised steel, which is known for its strength, durability, and resistance to corrosion. This ensures that our product can withstand harsh weather conditions and last for a long time.

Weight: 6.4kg/m

The weight of our Galvanised Scaffold Tube is 6.4kg per meter, making it lightweight and easy to handle. This weight also makes it suitable for use in various construction projects without adding unnecessary weight.

Application: Scaffolding

The primary application of our Galvanised Scaffold Tube is in scaffolding, where it is used to create a temporary structure for workers to carry out tasks at different heights. It is also used in other applications such as shoring, formwork, and staging.

Conclusion

In conclusion, Galvanised Scaffold Tube from Bythai Scaffolding is a reliable and high-quality product that meets international standards. With its strength, durability, and competitive pricing, it is the perfect choice for all your scaffolding needs. Contact us now to place your order and experience the best in scaffolding materials.

Customization:

Galvanised Scaffold Tube - Customized Service

Brand Name: Bythai Scaffolding

Model Number: BT01

Place of Origin: China

Certification: SGS
Price: \$5-\$18
Packaging Details: In bundles
Delivery Time: 7-15 days
Payment Terms: TT/LC
Supply Ability: 1000 tons per month
Weight: 6.4kg/m
Yield Strength: 245N/mm2
Application: Scaffolding
Material: Galvanised Steel
Standard: EN39

Customized Service for Galvanised Scaffold Tube

At Bythai Scaffolding, we offer customized services for our high-quality Galvanised Scaffold Tube. Our GI pipes are hot dip galvanized for maximum durability and corrosion resistance. With our extensive experience and advanced technology, we can meet your specific requirements and provide tailor-made solutions for your scaffolding needs.

Our Galvanised Scaffold Tube is manufactured in accordance with the EN39 standard and has a yield strength of 245N/mm2. It is widely used in the construction industry for its strong support and stability. The weight of our scaffolding steel tube is 6.4kg/m, making it lightweight and easy to handle.

We understand the importance of timely delivery and offer a supply ability of 1000 tons per month. Our packaging is done in bundles for safe and efficient transportation. We also offer flexible payment terms such as TT and LC for your convenience.

Choose Bythai Scaffolding for your scaffolding needs and experience our high-quality products and exceptional customized service.

Contact us now for more information and a competitive quote.

Support and Services:

FAQ:

Q: What is the brand name of this product?

A: The brand name of this product is Bythai Scaffolding.

Q: What is the model number of this product?

A: The model number of this product is BT01.

Q: Where is this product manufactured?

A: This product is manufactured in China.

Q: Is this product certified?

A: Yes, this product is certified by SGS.

Q: What is the price range for this product?

A: The price for this product ranges from \$5 to \$18.

Q: How is this product packaged?

A: This product is packaged in bundles.

Q: What is the estimated delivery time for this product?

A: The estimated delivery time for this product is 7-15 days.

Q: What are the payment terms for this product?

A: The payment terms for this product are TT/LC.

Q: What is the supply ability for this product?

A: The supply ability for this product is 1000 tons per month.



Bythai Scaffolding Co.,Ltd



17300780862



info@bythaiscaffolding.com



bythaiscaffold.com

No. 605,Industrail Exchange Center ,Huanghua Town Changsha Hunan China