

Tensile Strength Galvanised Steel Scaffold Tube EN39 Standard

Our Product Introduction

for more products please visit us on bythaiscaffold.com

Basic Information

- Place of Origin: China
- Brand Name: Bythai Scaffolding
- Certification: SGS ISO
- Model Number: BT201
- Minimum Order Quantity: 1000
- Price: \$300-\$700
- Packaging Details: In bundles
- Delivery Time: 10-15 days
- Payment Terms: TT/TC
- Supply Ability: 1000tons per month



Product Specification

- Material: Galvanised Steel
- Name: Galvanised Scaffold Tube
- Diameter: 48.3mm
- Weight: 6.4kg/m
- Surface Treatment: Galvanised
- Tensile Strength: 420N/mm²
- Standard: EN39
- Thickness: 3.2mm
- Highlight: **EN39 Galvanised Steel Scaffold Tube, 3.2mm Thickness Galvanised Steel Scaffold Tube**



More Images



Product Description

Product Description:

With a Yield Strength of 245N/mm², these pipe scaffold tubes are able to support heavy loads and provide a sturdy base for workers to stand on. This makes them an ideal choice for use in a wide range of scaffolding applications, including building construction, maintenance, and repair.

These galvanized scaffold tubes are manufactured to meet the EN39 Standard, ensuring that they are of the highest quality and meet all relevant safety standards. They are also highly resistant to corrosion, which helps to extend their lifespan and reduce maintenance costs. The Galvanised Scaffold Tube is available in a range of sizes, including the popular 48mm diameter, making it easy to find the right size for your specific needs. Whether you are working on a large-scale construction project or a smaller maintenance job, these tubes are the ideal choice.

In summary, the Galvanised Scaffold Tube is a high-quality, durable, and reliable product that is specifically designed for use in scaffolding applications. Made from Galvanised Steel and with a Yield Strength of 245N/mm², these steel tubes are built to withstand heavy loads and provide a sturdy base for workers to stand on. Manufactured to meet the EN39 Standard, they are highly resistant to corrosion and available in a range of sizes, including the popular 48mm diameter.

Features:

Product Name: Galvanised Scaffold Tube

Tensile Strength: 420N/mm²

Weight: 6.4kg/m

Diameter: 48.3mm

Surface Treatment: Galvanised

Looking for a reliable **scaffolding steel tube** that can withstand heavy loads? Our **Galvanised Scaffold Tube** has a **tensile strength of 420N/mm²** and a **weight of 6.4kg/m**, making it a top choice for construction projects. The **48.3mm diameter** ensures a sturdy base for your scaffolding system, while the **galvanised surface treatment** protects against rust and corrosion. Contact us today for a competitive **scaffolding tube price**.

Technical Parameters:

Tensile Strength	420N/mm ²
Thickness	3.2mm
Weight	6.4kg/m
Yield Strength	245N/mm ²
Material	Galvanised Steel
Standard	EN39
Surface Treatment	Galvanised
Diameter	48.3mm
Name	Galvanised Scaffold Tube
Application	Scaffolding

Applications:

The Galvanised Scaffold Tube is a versatile product that is used in various applications in the construction industry. One of the main applications of this product is in scaffolding systems. The scaffolding steel tube is used to provide support and stability to structures during construction, repair, or maintenance work. It is also used to create temporary platforms for workers to stand on while they work at heights.

The Galvanised Scaffold Tube is made using a seamless pipe manufacturing process, which ensures that the product has a consistent and smooth surface. This makes it easier to work with and reduces the risk of accidents during construction work. The tensile strength of the tube is 420N/mm², which means that it can withstand significant weight and pressure without bending or breaking.

The weight of the Galvanised Scaffold Tube is 6.4kg/m, which makes it easy to handle and transport. The product is available at a price range of \$10-\$85, depending on the quantity ordered. The minimum order quantity is 1000 pieces, and the delivery time is 10-15 days. The payment terms are TT/TC, and the supply ability is 1000 tons per month.

The Galvanised Scaffold Tube is packaged in bundles, which makes it easy to store and transport. The product is compliant with the EN39 standard, which is a European standard for steel and pipe products. This ensures that the product meets the highest quality standards and is safe to use in construction projects.

The Galvanised Scaffold Tube is suitable for use in various scenarios, such as building construction, shipbuilding, and mechanical engineering. It is a reliable and cost-effective solution for providing support and stability to structures during construction work. Bythai Scaffolding's Galvanised Scaffold Tube is a product that you can trust to get the job done right.



Bythai Scaffolding Co.,Ltd



17300780862



info@bythaiscaffolding.com



bythaiscaffold.com

No. 605,Industrail Exchange Center ,Huanghua Town Changsha Hunan China