EN39/BS1139 Standard Aluminum Scaffolding Platform Board with Easy Installation

Basic Information

- Place of Origin: China • Brand Name: bythai • Certification: SGS Model Number: BS204 • Minimum Order Quantity: 100 • Price: 4.5-8.5
- Packaging Details: container • Delivery Time: 10-15 • Payment Terms: TT/TC



Product Specification

| • Type: | Planks |
|---------------------------------------|-----------------------------------|
| • Size: | Various Sizes Available |
| Application: | Construction, Maintenance, Repair |
| • Standard: | EN39/BS1139 |
| • Usage: | Construction, Maintenance, Repair |
| • Oem: | Available |
| Packing: | Container |
| Material: | Aluminium |
| Anti-Slip: | Yes |
| • Width: | 0.24m |
| Surface Treatment: | Anodized |
| Corrosion Resistance: | High |
| • Surface: | Aluminum |
| Easy To Assemble: | Yes |
| • Durable: | Yes |
| | |

More Images





Our Product Introduction

Product Description:

Our aluminum scaffolding platform board meets the rigorous EN39 and BS1139 standards, ensuring top-notch quality and safety for your construction projects. Engineered from high-grade aluminum, this platform board is lightweight yet incredibly durable, providing a reliable and long-lasting solution for your scaffolding needs.

Designed for ease of installation, this platform board can be quickly and securely fitted into your scaffolding system, reducing setup time and labor costs. Its robust construction offers excellent stability, supporting workers and materials with confidence. The aluminum material is naturally resistant to corrosion, making it ideal for use in various environmental conditions, from dry, dusty sites to humid, wet environments.

This scaffolding platform board is versatile and suitable for a wide range of applications, including residential, commercial, and industrial construction projects. It provides a stable and safe working surface, enhancing productivity and ensuring compliance with safety regulations. The board's design also facilitates efficient dismantling and storage, adding to its convenience and practicality.

With our EN39/BS1139 standard aluminum scaffolding platform board, you get a high-performance component that boosts the efficiency and safety of your scaffolding systems. Trust in our quality to deliver reliable and effective solutions for all your construction needs. Choose our aluminum platform board for its superior durability, easy installation, and compliance with industry standards, making it the perfect addition to your scaffolding setup.

Features:

Product Name: Scaffolding Aluminum Plank Usage: Supporting Board for Scaffolding Weight: Customized Packaging: Container Width: Customized

Technical Parameters:

| Materials | Width(mm) | Length(mm) | N.W.(KGS) |
|-----------|-----------|------------|-----------|
| 6061-T6 | 482.6 | 730 | 5.96 |
| 6061-T6 | 482.6 | 1040 | 7.61 |
| 6061-T6 | 482.6 | 1090 | 7.88 |
| 6061-T6 | 482.6 | 1570 | 10.44 |
| 6061-T6 | 482.6 | 2070 | 13.1 |
| 6061-T6 | 482.6 | 2570 | 15.77 |
| 6061-T6 | 482.6 | 3070 | 18.43 |
| 6061-T6 | 482.6 | Customized | |

| Materials | Width(mm) | Length(mm) | N.W.(KGS) |
|-----------|-----------|------------|-----------|
| 6062-T6 | 240 | 600 | 2.89 |
| 6062-T6 | 240 | 900 | 3.75 |
| 6062-T6 | 240 | 1200 | 4.6 |
| 6062-T6 | 240 | 1500 | 5.46 |
| 6062-T6 | 240 | 1800 | 6.31 |
| 6062-T6 | 240 | 2000 | 6.88 |
| 6062-T6 | 240 | 2400 | 8.02 |
| 6062-T6 | 240 | Customized | |

Details Pictures:





Certificates:

| MARK | SGS | SGS |
|--|--|-------------|
| Sedevality Management Certification | TEST REPORT | TEST REPORT |
| The analysis of the second sec | Markan Markan Markan Mark | |
| 6 | | |
| | THE DESIGNATION DESIGNATION OF A DESIGNATIONO OF A DESIGNATIONO OF A DESIGNATIONO OF A DESI | |
| TEST SEPORT No. 1 Memory Sectors No. 1 of 1 | | |
| Exercision Exercision Exercision Image: Im | | |
| Branch Branch Branch | | |
| <section-header><text><text><text><text><text><text><text></text></text></text></text></text></text></text></section-header> | | |



Applications:

Bythai BT02 metal plank is a perfect choice for scaffolding applications. It is made with a solid structure, which ensures its high strength and durability. It is available in a variety of widths to meet different requirements. The weight of this metal plank can be customized for different projects. Its steel color provides an attractive look to the construction sites. This scaffold supporting plank is ideal for scaffolding, and it is widely used in the construction industry as a supporting board for scaffolding.

Customization:

Are you looking for a high-quality **Scaffold Supporting Plank**? Look no further than Bythai's **BT02** model. This product is manufactured in **China** with a **pre-galvanized/hot dip galvanized** surface. Made of **steel**, it can be customized in length and thickness according to your needs. It is perfect for **scaffolding**.

Support and Services:

Technical support and service for Scaffolding Plank are available to provide customers with the necessary guidance and assistance. Our experienced team of professionals is available round the clock for any queries and issues related to the product. We offer a range of solutions, from troubleshooting and repair to installation and maintenance, to ensure that our customers get the most out of their purchases. Additionally, our customer service team is always available to answer any questions or concerns.

FAQ:

Q: What types of scaffolding systems do you offer?

A: We offer a variety of scaffolding systems, including ring lock, frame, prop, tube & coupler systems, steel and aluminum planks, and various scaffolding accessories.

Q: How does your quality control process ensure the safety and reliability of your scaffolding products?

A: Our strict quality control process includes thorough inspections, material testing, and adherence to international safety standards to ensure our scaffolding products are safe and reliable.

Q: Can you provide customized scaffolding solutions to meet specific project requirements?

A: Yes, we offer customized scaffolding solutions tailored to meet the unique needs of your project, ensuring optimal performance and safety.

Q: What is the typical lead time for orders, and how do you handle urgent requests?

A: Our standard lead time varies depending on the order size and complexity, but we prioritize urgent requests to ensure timely delivery without compromising quality.

Q: Do you offer support and guidance for scaffolding assembly and installation?

A: Yes, we provide comprehensive support, including detailed assembly instructions and technical assistance to ensure

proper installation and safe use of our scaffolding systems.

Q: What are the key advantages of using your aluminum ringlock system?

A: Our aluminum ringlock system offers several advantages, including lightweight design, easy assembly, high load capacity, durability, and corrosion resistance, making it ideal for various construction projects.

Q: How do your prices compare to other scaffolding suppliers?

A: We offer competitive factory prices while maintaining high-quality standards, providing cost-effective solutions that deliver excellent value for your investment.

Q: What certifications and standards do your scaffolding products meet?

A: Our scaffolding products meet international certifications and standards, including OSHA, EN, and ISO, ensuring they comply with the highest safety and quality requirements.

Q: Can you provide references or case studies from past projects?

A: Yes, we can provide references and case studies showcasing our successful projects and satisfied customers to demonstrate our expertise and reliability.

Q: What is the process for placing an order and what payment options do you accept?

A: Placing an order is simple: contact our sales team with your requirements, receive a detailed quote, and finalize the order. We accept various payment options, including TT, letters of credit, and other secure methods.

